



Alberti

LIVE TOOLS

DMG MORI






QUALIFIED PRODUCTS







20 Thompson Rd | East Windsor | CT 06088

1.800.249.5662 | 860.623.4132 Fax

www.komaprecision.com | info@komaprecision.com

 QUALIFIED PRODUCTS		STRAIGHT TOOLS		90° TOOLS		DUAL OUTPUT 90° TOOLS		UNIVERSAL TOOLS	
									
Lathe Model	NL 1500 NL 2000	Standard		MA-3.5	M90-3.5	M90-3.5 2U	MCU-3.5		
				GH-44323-00	GH-44324-00	GH-44325-00	GH-44326-00		
			Output	ER-32	ER-32	ER-32/32	ER-32		
		Nm/ft.lbs.	-	45/33	45/33	20/15			
		RPM	6,000	6,000	6,000	6,000			
		Coolant Thru		MA-3.5 RI	M90-3.5 RI				
			GH-44617-00	GH-44621-00					
	Output		ER-32	ER-32					
	Nm/ft.lbs.	-	45/33						
	RPM	6,000	6,000						
	NL 2500 NL 3000	Standard		MA-4.5	M90-4.5	M90-4.5 2U	MCU-3.5		
				GH-44327-00	GH-44328-00	GH-44329-00	GH-44326-00		
			Output	ER-40	ER-40	ER-40/40	ER-32		
		Nm/ft.lbs.	-	45/33	45/33	20/15			
RPM		6,000	6,000	6,000	6,000				
Coolant Thru			MA-4.5 RI	M90-4.5 RI					
		GH-44104-00	GH-44105-00						
	Output	ER-40	ER-40						
Nm/ft.lbs.	-	45/33							
RPM	6,000	6,000							

Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum

 QUALIFIED PRODUCTS		STRAIGHT TOOLS		90° TOOLS	UNIVERSAL TOOLS
					
Lathe Model	NZ 1500 NZ 2000	Standard	MA-2.5	M90-2.5	MCU-1.5
			GH-44741-00	GH-44743-00	GH-44745-00
		Output	ER-25	ER-25	ER-16
		Nm/ft.lbs.	-	25/18	16/11.8
		RPM	6,000	6,000	6,000
		Coolant Thru	MA-2.5 RI	M90-2.5 RI	
	GH-44742-00		GH-44744-00		
	Output		ER-25	ER-25	
	Nm/ft.lbs.		-	25/18	
	RPM	6,000	6,000		

Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum



NZ 2000



20 Thompson Rd | East Windsor | CT 06088
1.800.249.5662 | 860.623.4132 Fax
www.komaprecision.com | info@komaprecision.com

ROTARY TABLES | ANGLE HEADS | LIVE TOOLS | SWISS TOOLS | TOOL PRESETTERS