





DMQP
DMG MORI QUALIFIED PRODUCT

Alberti
LIVE TOOLS



KOMA
KOMAPRECISION.COM




20 Thompson Rd | East Windsor | CT 06088
1.800.249.5662 | 860.623.4132 Fax
www.komaprecision.com | info@komaprecision.com

 DMQ DMG MORI QUALIFIED PRODUCT				STRAIGHT TOOLS	90° TOOLS	DUAL OUTPUT 90° TOOLS	UNIVERSAL TOOLS
							
Lathe Model	NLX 1500 NLX 2000	Standard		MA-3.5	M90-3.5	M90-3.5 2U	MCU-3.5
				GH-44323-00	GH-44324-00	GH-44325-00	GH-44326-00
			Output	ER-32	ER-32	ER-32/32	ER-32
			Nm/ft.lbs.	-	45/33	45/33	20/15
			RPM	6,000	6,000	6,000	6,000
		Coolant Thru		MA-3.5 RI	M90-3.5 RI		
				GH-44617-00	GH-44621-00		
			Output	ER-32	ER-32		
			Nm/ft.lbs.	-	45/33		
			RPM	6,000	6,000		
	NLX 2500 NLX 3000	Standard		MA-4.5	M90-4.5	M90-4.5 2U	MCU-3.5
				GH-44327-00	GH-44328-00	GH-44329-00	GH-44326-00
			Output	ER-40	ER-40	ER-40/40	ER-32
			Nm/ft.lbs.	-	45/33	45/33	20/15
			RPM	6,000	6,000	6,000	6,000
		Coolant Thru		MA-4.5 RI	M90-4.5 RI		
				GH-44104-00	GH-44105-00		
			Output	ER-40	ER-40		
			Nm/ft.lbs.	-	45/33		
			RPM	6,000	6,000		

Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum



NLX 2500

 DMQ DMG MORI QUALIFIED PRODUCT				STRAIGHT TOOLS	90° TOOLS	UNIVERSAL TOOLS
Lathe Model	NZ 1500 NZ 2000	Standard				
				MA-2.5	M90-2.5	MCU-1.5
				GH-44741-00	GH-44743-00	GH-44745-00
			Output	ER-25	ER-25	ER-16
		Coolant Thru	Nm/ft.lbs.	-	25/18	16/11.8
			RPM	6,000	6,000	6,000
				MA-2.5 RI	M90-2.5 RI	
				GH-44742-00	GH-44744-00	
			Output	ER-25	ER-25	
			Nm/ft.lbs.	-	25/18	
			RPM	6,000	6,000	

Coolant Pressure = 70 Bar/1050 PSI • RPM = Maximum



NZ 2000



20 Thompson Rd | East Windsor | CT 06088
1.800.249.5662 | 860.623.4132 Fax
www.komaprecision.com | info@komaprecision.com

ROTARY TABLES | ANGLE HEADS | LIVE TOOLS | SWISS TOOLS | TOOL PRESETTERS