INSTALLING YECO ON A MAC

Step 1 – Mount the .dmg by double-clicking it

Step 2 – Drag the Yeco app into the Applications folder

LAUNCHING YECO FOR THE FIRST TIME ON MAC

Apple has a built-in way to protect you from opening up potentially malicious apps on your computer in Mac OS X Lion, Mountain Lion, Mavericks, Yosemite, and El Capitan. This setting, named <u>Gatekeeper</u> may stop you from launching Yeco.

If you get a warning when you try to launch Yeco simply Control+Click on the app in the Finder, then select "Open." You'll see a new popup asking if you're sure you want to run the app on your Mac. Just hit "Open" again and you're set.

HOW TO ACTIVATE YOUR LICENCE

YECO
Please enter or paste your serial below
Your serial should look like this: A3A5-47L4-BN9N-9C8F-T266-537J-DI3A
Paste
Submit

Step 1 – Copy the licence number you received in your email Step 2 – Press the Paste button

Step 3 – Press the Submit button

HOW TO INSTALL REMOTE SCRIPTS ON MAC



Step 1 – Press 'Install Remote Scripts' on the home screen

Use the Filebrowser to locate your Ableton App. The usual location is the Applications directory.



Step 2 – DOUBLE CLICK the Applications folder.

You can DOUBLE CLICK the folder with the "...\ " symbol to go back.



CLICK to select it.

There may be more than one installation if you have opted to keep old versions. If that's the case follow step 4, if not skip to 5



Step 4 – SINGLE CLICK on each of your Live 9 Folders to select them



Step 5 – Click the "Install" button to install the Remote Scripts'



Step 6 – Finally, click the "Home" key to return back to the Launch page

Step 7 – Launch Ableton Live or restart if it is already running.



Step 8 – Navigate to preferences: Live-> Preferences on Mac Step 9 – On the preferences panel go to the MIDI settings

Step 10 – Under control surface click one of the boxes to show the list of options.

TAP 120.00 IIII IIII 4 / 4 OO * 1 Bar *					~ 🗗 - 🗸			🖉 🛄 KEY - MIDI 4% D				
Search (Ctrl + F)			Und	er control surfa	ce clic	k one						
CATEGORIES	Name	1 Group 🐨 7 MIDI	8 MIDI 9 M	IIDI 10 MIDI 1	1 MIDI	12 MIDI	13 MIDI	14 MIDI	15 MIL A Reverb	B Delay	Master	
Sounds	Amp 🔺	->	OI _{Pref}	lendoxes to show	/ me I							1
🔠 Drums	Audio Effect Rack	Look	L opti	ane								2
	Auto Filter	Fool		0115.								2
Here Audio Effects	▶ 🔜 Auto Pan	Audio	Play in time with Link									2
1 MIDI Effects	⊳ 🔲 Beat Repeat	Link	MIDI Control Sur									1
🛱 Max for Live	⊳ 🔲 Cabinet		1 None No	ne None Couput	5							5
<∄ Plug-ins	Chorus	⊳ /////// Filo	2 MackieControl	e Vone Com	2 –							5
▶ Clips	▷ 📰 Compressor	▷ '///////	4 M. Control Asic	e None Citra	5							
₩ Samples	▷ 🔲 Corpus	Library	5 MasterControl 6 microKONTROL	e None Chim								
	▷ 📰 Dynamic Tube	Record	MidAir25			MIDI From	MIDI From	MIDI From	MIDI Fr			
PLACES	EQ Eight	Launch	MIDI Mix MiniLab			All Ins	All Ins		All Ins			
Packs	EQ Three	CPU	MPD18	Track Sync Remote	nels	All Channels Monitor	All Channels	All Channels Monitor	All Cl Monitor			
⊥ User Library	Erosion	Licenses	MPD24 MPD32	B On Off Off	Off	In Auto Off	In Auto Off	In Auto Off			Cue Out	
B Live 8 Library	External Audio Effect	Audio To I Maintenance	MPD218	AIDI On Off On		MIDI To No Output	MIDI To No Output	MIDI To No Output	MIDI To Audio To No Out Master	Audio To Master	1/2	
Current Project	▶ 🔚 Filter Delay		MPD232	vetable Synth Off Off Off							1/2	
	▶ 📰 Flanger	Sends	MPK mini						Sends			
D Ableton	Frequency Shifter		MPK49								Post	-
	▷ 📰 Gate	V _B /	MPK61 MPK88									ost
Desktop	▷ ☐ Glue Compressor		MPK225			:	:		-Inf			
	Grain Delay	\mathbf{A}	MPK261						$\tilde{\mathbf{A}}$	12 1	Å	
Kontakt 3 Library	Limiter		Novation Impulse O2				1		(')	·· (')	(1)	
2 - Acoustic Pianos	Looper		OpenLabs			12	13	14	15 A	24 B 24		24 GB
Samples	Multiband Dynamics	S	Oxygen 3rd Gen Oxygen 4th Gen			s	s	s	S S	36 36 48 S 48		- 36 - 48 (1)
Downloads	Overdrive		Oxygen8			Ø	0	0	0	60 60	5	60 🔘
\sim o		1	Oxygen49 61									
			Ozone									
	5 Clips Notes		padKONTROL									
			Photon 25 Photon X25									
			ProjectMixIO									
	Signature		Push Push2									
	4 / 4		Radium49.61			5 MIDI Clips in 5 Ti	acks Are Selected					
	Groove 🤣	Loop	RemoteSL Classic									
	Commit Pgm Change		Roland A PRO touchAble									
	Bank		Tranzport									
	Sub		UC33e									
	© 🤁 Pgm		VCM600 YecoOSC									
			ZERO8								ſ	1 Crown
											1	-Group

Step 11 – Select YecoOSC from the list.

TAP 120.00 III III 4 /	4 O● ▼ 1 Bar ▼		. 1. 1 🕨 🔳 🔍	+ ∞ ← 0					~ 🗗 ~	4.0.0		🖉 🛄 KEY	- MIDI	4 %	D
Search (Ctrl + F)															
CATEGORIES	Name	1 Group 🐨 7 MIDI	8 MIDI	9 MIDI	10 MIDI	11 MIDI		12 MIDI	13 MIDI	14 MIDI	15 MIL A Reverb	B Delay	Master		11
Sounds	Amp A	De live		Preferences		×									
88 Drums	Audio Effect Rack	► Look													
√ Instruments	Auto Filter	Feel	Link												
+	🖻 🔚 Auto Pan	Audio	Play in time with	th Link C	m		-								
+ MIDI Effects	⊳ 📰 Beat Repeat	Link	Control	Surfa Innut	Output									4	
🛱 Max for Live	⊳ 💼 Cabinet	► MIDI	1 YecoOSC	None	None	(Dump)									
<∄ Plug-ins	▶ 🔲 Chorus	► VIIIIII File	2 Yone	None	None	(Dump)									
▶ Clips	▷ 🔲 Compressor	▶ ////////	4 None	None	None	Oump									
-∰⊷ Samples	▷ 🔲 Corpus	Library	5 None 6 None	None	None	(Dump)									
	Dynamic Tube	Record						MIDI From	MIDI From	MIDI From	MIDI Fr				
PLACES	EQ Eight	Launch	Takeove	r Mode None	-		٣		All Ins		All Ins				
Packs	EQ Three	CPU		MIDI Ports	Track Sync	Remote	nels	All Channels Monitor	All Channels Monitor	All Channels Monitor	All Cl				
⚠ User Library	Erosion	License	⊳ Input: 3-		On Off	Off	Off	In Auto Off	In Auto Off	In Auto Off			Cue Out		
8 Live 8 Library	External Audio Effect	Audio To Mainter	nance > Input: Lo		On Off	On		MIDI To No Output	MIDI To No Output	MIDI To No Output	MIDI To Audio To	Audio To Master	1/2	· ·	
Current Project	▶ 🔚 Filter Delay		> Output: Mi	crosoft GS Wavetable Synth		Off		nto output	ino ouput	no ouput			1/2	t V	
PawnShopBeats-DD	► 🔚 Flanger	Sends				Off					Send	s Sends		Sends	
Ableton	Frequency Shifter					Off							Post	-	
Music Production Re	▶ 🔲 Gate	V _B)				Off								Post	
Desktop	Glue Compressor						:	:	:	:	-Inf		-Inf		
device	🕨 🔚 Grain Delay	× ·									Å		Ă		
Kontakt 3 Library	🕨 🥅 Limiter								1		(')	¹² (¹) ¹²	(')	12	0
2 - Acoustic Pianos	▶ 🔲 Looper							12	13	14	15 A	24 - 24 B		24	BB
Samples	Multiband Dynamics	e -						9			9 9	36 36		36	0
Downloads	▶ 🔲 Overdrive							0	0	0	0	48 - 48		48	
	5 Clips Notes														
	Signature														
	4 1 4														
	Groove 😏	Loop						5 Mibl Cips in 5 Ti	acks Ale Selected						
	None Pgm Chang														
	Bank														
	Sub														
	🕒 🕖 🛛 Pgm														
													-	1-Group	
														Torotab	





Step 13 – Press the play button to launch

MIDI ON MAC



MIDI port named "YecoMIDI"

Step 2 – Go to Ableton's preferences Live -> Preferences

TAP 120.00 IIII IIII 4 I O<●				1 🕨 🖬 🔍 🛨	o ^o ← O						4.0.0			🖉 🛄 KEY	MIDI	4 %	D
Search (Ctrl + F)																	Ð
CATEGORIES	Name 🔺	1 Group	7 MIDI	8 MIDI	9 MIDI	10 MIDI	11 MIDI	12	MIDI	13 MIDI	14 MIDI	15 MIL	A Reverb	B Delay	Master		
	🕨 🥅 Amp		Live		Preferences		×										
	Audio Effect Rack		Look	Link													
	Auto Filter		Fool	LINK													
Here Audio Effects	⊳ 🥅 Auto Pan		Audio	Play in time with L													
+ MIDI Effects	Beat Repeat		Link	Control Surf	face Input	Output										4	
🛱 Max for Live	▷ 🔲 Cabinet		MIDI	1 YecoOSC	None	None T	ump)										
<β Plug-ins	▷ 🔲 Chorus		File	2 None 3 None	None	None 0	hump										
▶ Clips	Compressor		Foider	4 None	None	None (lump										
-₩ Samples	▷ 🔲 Corpus		Library	5 None 6 None	None	None 0	Comun										
	▷ Dynamic Tube		Record Warp					MIC	DI From	MIDI From	MIDI From	MIDI Fr					
PLACES	EQ Eight		Launch	Takeover M	ode None			▼ All	Ins	All Ins							
Packs	EQ Three		CPU		MIDI Ports	Track Sync Ren	note	els /	All Channels	All Channels Monitor	All Channels	All CI Monitor					
	▷ 🔲 Erosion		Liconsos				er. C	Off In	Auto Off	In Auto Off	In Auto Off	In At			Cue Out		
	External Audio Effect	Audio To Mantor	Maintenance			On Off O	n	MIC	DI To	MIDI To	MIDI To No Output	MIDI To	Audio To Mantar	Audio To	1/2	•	
E: Current Project	Filter Delay	Waster		 Input: 01. Et Output: Micros 	thernet MIDI soft GS Wavetable Svot		ff s		Jouput	No Output	No Output	NO OUL	Master	master	Master O	ut	
	▶ 🚃 Flanger	Sends					11						Sends	Sends		Sends	
Ableton	Frequency Shifter						11						4		Post		
Music Production Re	⊳ 🔲 Gate	(J)					n									Post	
Desktop	Glue Compressor	-Inf						:	:				(-Inf)	-Inf	-Inf		
	▷ 🥅 Grain Delay							1					ě l		Ă		
C Kontakt 3 Library	▷ 🔲 Limiter	(')						1	1	1				² (¹) ¹²	· (')	12	0
2 - Acoustic Pianos	▷ 🔲 Looper							1	12	13	14	15	A 2	4 B 24		24	GB
Samples	Multiband Dynamics							1					3	6 - 36		36	6
Downloads	▷ Overdrive	3							5	5	5	5	3 4	8 3 48	(,)	48	
									U							00	ā
\approx																	
Status Bar	0 5 Clips Notes		_				_										
The Status Bar helps keep yo	ou updated																
on the progress of various pr	rogram																
activities.	Signature																
	4 / 4																
Groove 🤣								5 MI	DI Clips in 5 Tra	cks Are Selected							
	None Des Charge																
	Commit Bank																
	Sub																
	C																
																7	
0																1-Group	

Step 2 – On the preferences panel go to the MIDI settings
Step 3 – Under MIDI ports locate the input from "YecoOSC"
Step 4 – Set the Track and Remote buttons to the "on" position

YOU'RE DONE!

WE HOPE YOU ENJOY USING YECO!